


Madison Traditional Clean-Face LUXURY DIRECT-VENT FIREPLACE







ACCESSORIZE WITH LINERS & MORE

The Luxury Fireplace includes a ceramic fiber brick floor that helps support the massive log set. Add the matching Cottage Brick liner or change the look of your fireplace with the Traditional Stone or Black Porcelain liner. The Traditional Stone set features rugged squared stones, while the contemporary Black Porcelain set adds depth.







Cottage Brick

Traditional Stone

Black Porcelain

Add a decorative front to your new direct-vent luxury fireplace. Choose the Beveled Window Frame in brushed nickel or oil-rubbed bronze, the Alexandra Doors in brushed nickel (shown on opposite page), or the Forged Iron Doors. Your front or frame attaches in seconds. Each fireplace comes with a fireplace barrier screen to prevent contact with the hot glass. Add the available andirons to convey an old-world look.



The available dimmer-controlled lighting kit draws attention to your American Hearth fireplace even when no fire is burning. Enhance heat distribution with the optional variable-speed blower.





Madison Traditional Clean-Face LUXURY DIRECT-VENT FIREPLACE

With its large ceramic glass window and clean-face design, this American Hearth luxury direct-vent fireplace looks just like a site-built fireplace, but delivers the convenience and operating efficiency of a modern gas system. The traditional luxury clean-face fireplace is available in 36-inch and 42-inch models.

Your Madison fireplace is heater rated, so it warms your room just as efficiently as it warms your heart. Zone heating with a gas fireplace saves energy while warming the rooms you use most. The available blower helps circulate warm air more quickly.

Designed for in-wall installation, these American Hearth luxury clean-face models require just over 22 inches of depth. The venting connects to the top of the fireplace but can run out the wall or up through the roof. Use tile or other noncombustible material to conceal the outer edge of the fireplace and create a true built-in system.

These direct-vent fireplaces draw in fresh outside air to support combustion and exhaust combustion by-products to the outdoors. The 5 x 8 vent-within-a-vent isolates the incoming fresh air from the exhaust, yet still requires just a single hole through the wall or roof.

The Luxury Clean-Face Madison has a ceramic glass view window for exceptional heat transfer and a unique burner that delivers a rich flame pattern. The 10-piece ceramic fiber log set is hand painted for stunning realism with detailed bark, knots, and charring.

THE TECHNOLOGY BEHIND THE FIRE

Madison Luxury Clean-Face Fireplaces are offered in three distinct technologies, each offering unique features and advantages.

The premium-level Multi-Function Remote system includes a thermostat remote that lets you light the fire with the intermittent pilot, adjust the flame height, operate the variable-speed blower, and control the built-in lighting. This sophisticated fireplace requires electricity for day-to-day-operation, but includes a battery backup so it can provide heat during power outages.

The Intermittent Pilot system also includes battery backup, but includes an on off switch to light the burner. The IP system works with a variety of controls – from wall switches to thermostats to on-off battery remotes and programmable remotes.

Millivolt models feature a standing pilot you light at the beginning of the heating season. While the pilot burns a small amount of gas, this simple system operates without electricity or batteries. Like the IP system, the Millivolt system works with almost any Empire control system.

While each of these fireplaces will continue to provide heat in a power outage, the blower and lights will not work.

Dimanian (in inch a)				
Dimensions (in inches)				
DIMENSION	DVCX36FP	DVCX42FP		
Α	41 7/8	41 7/8		
В	42 1/4	46 1/4		
С	22 1/16	22 1/16		
D	27 1/2	27 1/2		
E	35 9/16	39 15/16		
F	15 1/4	15 1/4		
G	28 3/8	32 3/8		
Н	42 1/8	42 1/8		
	19 1/8	23 1/8		
J	7 11/16	7 11/16		
K	2	2		
L	4 1/2	4 1/2		
М	10 7/8	10 7/8		
N	24	24		
0	32 7/8	36 7/8		
Р	14 3/8	14 3/8		
Q	31	31		
R	33 9/16	33 9/16		
S	1	1		


Btus (Max / Min)			
	DVCX36FP	DVCX42FP	
Natural	37,000 / 26,000	40,000 / 27,000	
LP	34,000 / 27,000	36,000 / 29,000	


Framing Dimensions (in inches)			
	DVCX36FP	DVCX42FP	
Α	42 5/16	42 5/16	
В	42 3/8	46 3/8	
С	21 1/2	21 1/2	


Specifications			
Type of Gas (State on Order)	Natural or LP		
Iron Pipe Size (N.P.T.)	1/2-inch		
Ignition Systems	Millivolt and Intermittent Pilot		
Venting	5 x 8 inch		

Warranty

10-year limited warranty on combustion chamber, limited lifetime on glass. All other parts carry a three-year limited warranty. All remote controls carry a one-year limited warranty.







Member of the following industry associations:









This appliance is design-certified to the ANSI standard by:









Empire Comfort Systems Inc. 918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com AH-00974 3/01/17

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Our mantels feature natural veneers and hand-rubbed finishes – wood grain and color will vary. Adjust light levels and use "natural light" incandescent bulbs to enhance the dramatic look for your wooden mantel.